
Refrigeration appliances 2026.

LIEBHERR

Refrigeration & Freezing



Freestanding Side by Side

Features



Bio
Fresh

BioFresh Professional with HydroBreeze

Our HydroBreeze feature exemplifies our highest standard of freshness. A cold mist covers fruit and vegetables like a protective balm in the BioFresh Professional Safe. The mist ensures crisp freshness, improves structure and keeps produce with fine leaves fresh for longer. It also creates an optical wow effect in the BioFresh ProfessionalSafe.



Touch &
Swipe
Display

Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



Infinity
Spring

InfinitySpring

A source of fresh, cool drinking water in your kitchen. InfinitySpring sounds like something from a fairy tale. The water dispenser enables drip-free water dispensing and provides fresh, cold water. Simply press the panel with the carafe or glass, and enjoy the water. This enables you to save on purchasing bottles of water and to live more sustainably.



Ice
Maker

IceMaker

Are there any ice cubes left? An IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer into any size you want – for example, ice cubes on the left, ice cream on the right – or just for ice cubes.

XRCst 5295



SWNstd 529i

Peak

Wine	2 Zones	Temp Protect Plus	No Frost	Duo Cooling	Super Frost	Light Tower	Soft-Telescopic Rails	Touch & Swipe Display
------	---------	-------------------	----------	-------------	-------------	-------------	-----------------------	-----------------------

Energy efficiency class	A⁺⁺ ¹
Energy consump. in 365 days/24 h	229 kWh ¹
Total Net Capacity	287 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803058212

SRBstc 529i

Peak

Bio Fresh Professional	Hydro Breeze	Super Cool	Glass & Steel Interior	Light Tower	Infinity Spring	Soft System	Soft-Telescopic Rails	Touch & Swipe Display
------------------------	--------------	------------	------------------------	-------------	-----------------	-------------	-----------------------	-----------------------

Energy efficiency class	A⁺⁺⁺ ¹
Energy consump. in 365 days/24 h	90 kWh ¹
Total Net Capacity	378 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803129837

XRCbs 5295



SWNbsd 529i “Black steel”

Peak

Wine	Temp Protect Plus	Duo Cooling	Super Frost	Steel Interior	Light Tower	Ice Maker	Soft System	Vario Space
------	-------------------	-------------	-------------	----------------	-------------	-----------	-------------	-------------

Energy efficiency class	A⁺⁺ ¹
Energy consump. in 365 days/24 h	229 kWh ¹
Total Net Capacity	287 litre
Climate rating	SN-T (+10 °C to +43 °C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803071914

SRBbsc 529i “Black steel”

Peak

Bio Fresh Professional	Hydro Breeze	Super Cool	Glass & Steel Interior	Light Tower	Infinity Spring	Soft System	Soft-Telescopic Rails	Touch & Swipe Display
------------------------	--------------	------------	------------------------	-------------	-----------------	-------------	-----------------------	-----------------------

Energy efficiency class	A⁺⁺⁺ ¹
Energy consump. in 365 days/24 h	90 kWh ¹
Total Net Capacity	378 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803123552

XRFbs 5295



SFNbsd 529i “Black steel”

Peak

No Frost	Super Frost	LED	Ice Tower	Soft System	Telescopic Rails	Touch & Swipe Display	Space Box	Vario Space
----------	-------------	-----	-----------	-------------	------------------	-----------------------	-----------	-------------

Energy efficiency class	A ⁺ 1
Energy consump. in 365 days/24 h	248 kWh ¹
Total Net Capacity	262 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803156734



SRBbsc 529i “Black steel”

Peak

Bio Fresh Professional	Hydro Breeze	Super Cool	Glass & Steel Interior	Light Tower	Infinity Spring	Soft System	Soft-Telescopic Rails	Touch & Swipe Display
------------------------	--------------	------------	------------------------	-------------	-----------------	-------------	-----------------------	-----------------------

Energy efficiency class	A ⁺⁺⁺ 1
Energy consump. in 365 days/24 h	90 kWh ¹
Total Net Capacity	378 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803123552

XRFst 5295



SFNstd 529i

Peak

No Frost	LED	Ice Tower	Ice Maker	Soft System	Telescopic Rails	Touch & Swipe Display	Super Frost	Smart Device
----------	-----	-----------	-----------	-------------	------------------	-----------------------	-------------	--------------

Energy efficiency class	D 1
Energy consump. in 365 days/24 h	198.30/0.543 ²
Total Net Capacity	277 litre ²
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ² cm
EAN-Nr.	4016803055914



SRBstc 529i

Peak

Bio Fresh Professional	Hydro Breeze	Super Cool	Glass & Steel Interior	Light Tower	Infinity Spring	Soft System	Soft-Telescopic Rails	Touch & Swipe Display
------------------------	--------------	------------	------------------------	-------------	-----------------	-------------	-----------------------	-----------------------

Energy efficiency class	A ⁺⁺⁺ 1
Energy consump. in 365 days/24 h	90 kWh ¹
Total Net Capacity	378 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803129837

XRFsd 5265



SFNsdd 526i

Prime



Energy efficiency class	A⁺⁺ ¹
Energy consump. in 365 days/24 h	248 kWh ¹
Total Net Capacity	262 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803131991

XRCsd 5255



SBNsdd 526i

Prime



Energy efficiency class	A⁺⁺⁺ ¹
Energy consump. in 365 days/24 h	223 kWh ¹
Total Net Capacity	Fridge: 171 litre/ Freezer: 121 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803129592



SRBsdd 526i

Prime



Energy efficiency class	A⁺⁺ ¹
Energy consump. in 365 days/24 h	136 kWh ¹
Total Net Capacity	378 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803129851

SRsdc 525i

Prime



Energy efficiency class	A⁺⁺⁺ ¹
Energy consump. in 365 days/24 h	78 kWh ¹
Total Net Capacity	262 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803123453

XRFsf 5245



SFNsfd 5247

Plus

No Frost	Super Frost	No Frost	Ice Tower	Touch Display	Space Box	Vario Space	Easy Open
----------	-------------	----------	-----------	---------------	-----------	-------------	-----------

Energy efficiency class	A⁺⁺ ¹
Energy consump. in 365 days/24 h	248 kWh ¹
Total Net Capacity	262 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803131915

SRBsfc 5220

Plus

Bio Fresh	Super Cool	Touch Display
-----------	------------	---------------

Energy efficiency class	A⁺⁺⁺ ¹
Energy consump. in 365 days/24 h	90 kWh ¹
Total Net Capacity	377 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803123538

XRFsf 5220



SFNsfd 5227

Plus

No Frost	Super Frost	Touch Display	Space Box	Vario Space	Easy Open	Frost Protect
----------	-------------	---------------	-----------	-------------	-----------	---------------

Energy efficiency class	A⁺⁺ ¹
Energy consump. in 365 days/24 h	253 kWh ¹
Total Net Capacity	271 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803131892

SRsfd 5220

Plus

Easy Fresh	Super Cool	Touch Display
------------	------------	---------------

Energy efficiency class	A⁺⁺⁺ ¹
Energy consump. in 365 days/24 h	118 kWh ¹
Total Net Capacity	Fridge: 399 litre/ Freezer: 271 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	185.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803130017

XCCsd 5250



SCNsdc 525i (617 Left)

Prime

- Easy
Fresh
- Duo
Cooling
- No
Frost
- Glass &
Steel
Interior
- Light
Tower
- Soft
System
- Touch &
Swipe
Display
- Vario
Space

Energy efficiency class		
Energy consump. in 365 days/24 h		163 kWh ¹
Total Net Capacity	Fridge: 271 litre/ Freezer: 94 litre	
Climate rating	SN-T (+10°C to +43°C)	
Dimensions		
Height	185.5 cm	
Width	59.7 cm	
Depth	67.5 ¹ cm	
EAN-Nr.	4016803129455	

SCNsdc 525i (001 Right)

Prime

- Easy
Fresh
- Duo
Cooling
- No
Frost
- Glass &
Steel
Interior
- Light
Tower
- Soft
System
- Touch &
Swipe
Display
- Vario
Space

Energy efficiency class		
Energy consump. in 365 days/24 h		163 kWh ¹
Total Net Capacity	Fridge: 271 litre/ Freezer: 94 litre	
Climate rating	SN-T (+10°C to +43°C)	
Dimensions		
Height	185.5 cm	
Width	59.7 cm	
Depth	67.5 ¹ cm	
EAN-Nr.	4016803129431	

NB: Due to the instability of our National Electricity Supplier, Liebherr strongly recommends that all appliances are fitted with a surge protector, as instances of this nature, are not considered a factory fault.

Freestanding Combi Fridges & Freezers French Door/Multidoor

Features



Ice
Maker

Water & Ice centre

Simply refreshing: The Water & Ice centre provides you with fresh, cold water at any time – along with beautifully shaped, clear ice cubes and crushed ice. This means, you always have more than enough ice to serve icecold drinks, even at spontaneous parties. Convenient extra: The water dispenser allows you to adjust the water amount to fit your desired container.



Duo
Cooling

DuoCooling

DuoCooling uses two completely separate refrigeration circuits to ensure no air is exchanged between the fridge and freezer compartments. The food neither dries out nor is odour transferred. This means throwing less away, shopping less often, but saving more and greater enjoyment.



Hydro
Breeze

Hydro Breeze

Cooling like a pro: Cold mist and a temperature in the safe of just over 0 °C ensure a longer shelf life and create a fabulous visual effect.



Vario
Temp
Zone

VarioTemp Zone

Refrigeration or freezing? You can choose from: The VarioTempZone can be set to an accurate temperature of -18 °C to -10 °C and from -2 °C to +5 °C.



CBNste 8872 “French Door”

PremiumPlus



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	322 kWh
Total Net Capacity	471 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	202.7 cm
Width	91 cm
Depth	62.5 cm
EAN-Nr.	9005382270875



MBSddi 9524

Plus



Energy efficiency class	A⁺ ¹
Energy consump. in 365 days/24 h	454 kWh ¹
Total Net Capacity	531 litre
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	180.5 cm
Width	90.6 cm
Depth	74.5 ¹ cm
EAN-Nr.	4016803097037



MBsddi 9556

Prime



Energy efficiency class	A⁺ ¹
Energy consump. in 365 days/24 h	454 kWh ¹
Total Net Capacity	531 litre
Climate rating	SN-ST (+10°C to +38°C)
Dimensions	
Height	180.5 cm
Width	90.6 cm
Depth	74.5 ¹ cm
EAN-Nr.	4016803097396



MBbsdi 9556 “Black steel”

Prime



Energy efficiency class	A⁺ ¹
Energy consump. in 365 days/24 h	454 kWh ¹
Total Net Capacity	531 litre
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	180.5 cm
Width	90.6 cm
Depth	74.5 ¹ cm
EAN-Nr.	4016803156994



MBsddi 9528

Plus

Bio Fresh	Duo Cooling	No Frost	Super Cool	Vario Temp Zone	Soft-Telescopic Rails	Water & Ice Centre	Touch & Swipe Display
-----------	-------------	----------	------------	-----------------	-----------------------	--------------------	-----------------------

Energy efficiency class	A⁺
Energy consump. in 365 days/24 h	425 kWh ¹
Total Net Capacity	472 litre
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	180.5 cm
Width	90.6 cm
Depth	74.5 ¹ cm
EAN-Nr.	4016803097112



MBbsdi 9528 "Black steel"

Prime

Bio Fresh	Duo Cooling	No Frost	Super Cool	Vario Temp Zone	Soft-Telescopic Rails	Water & Ice Centre	Touch & Swipe Display
-----------	-------------	----------	------------	-----------------	-----------------------	--------------------	-----------------------

Energy efficiency class	A⁺
Energy consump. in 365 days/24 h	425 kWh ¹
Total Net Capacity	472 litre
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	180.5 cm
Width	90.6 cm
Depth	74.5 ¹ cm
EAN-Nr.	4016803156956



MBttsdi 9528 "Terra steel"

Plus

Bio Fresh	Duo Cooling	No Frost	Super Cool	Vario Temp Zone	Soft-Telescopic Rails	Water & Ice Centre	Touch & Swipe Display
-----------	-------------	----------	------------	-----------------	-----------------------	--------------------	-----------------------

Energy efficiency class	A⁺
Energy consump. in 365 days/24 h	425 kWh ¹
Total Net Capacity	472 litre
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	180.5 cm
Width	90.6 cm
Depth	74.5 ¹ cm
EAN-Nr.	4016803156970



MBsddi 9558

Prime

Bio Fresh Professional	Hydro Breeze	Duo Cooling	Vario Temp Zone	Glass & Steel Interior	Mood Light	Water & Ice Centre	Flex Door System	Soft System	Soft-Telescopic Rails	Touch & Swipe Display
------------------------	--------------	-------------	-----------------	------------------------	------------	--------------------	------------------	-------------	-----------------------	-----------------------

Energy efficiency class	A⁺
Energy consump. in 365 days/24 h	425 kWh ¹
Total Net Capacity	472 litre
Climate rating	SN-ST (+10°C to +38°C)
Dimensions	
Height	180.5 cm
Width	90.6 cm
Depth	74.5 ¹ cm
EAN-Nr.	4016803097211



CBNsdc 573i

Plus

Bio Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Touch & Swipe Display	Vario Space
-----------	-------------	----------	------------	-------------	-----------------------	-------------

Energy efficiency class	
Energy consump. in 365 days/24 h	205 kWh ¹
Total Net Capacity	349 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	201.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803129257



CBNdgc 5723 “Dark grey”

Plus

Bio Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Touch Display	Vario Space
-----------	-------------	----------	------------	-------------	---------------	-------------

Energy efficiency class	
Energy consump. in 365 days/24 h	205 kWh ¹
Total Net Capacity	349 litre
Climate rating	SN-ST (+10°C to +43°C)
Dimensions	
Height	201.5 cm
Width	59.7 cm
Depth	67.5 ¹ cm
EAN-Nr.	4016803154075

NB: Due to the instability of our National Electricity Supplier, Liebherr strongly recommends that all appliances are fitted with a surge protector, as instances of this nature, are not considered a factory fault.


Freestanding Upright Fridges & Freezers

Features

**LED
Light**

LED light inside

The LED side lighting illuminates the interior from the side – providing a good overview of your food. Another highlight: the LEDs are positioned in front of the glass shelves so that even a full refrigerator is well lit.

**Easy
Fresh**

EasyFresh safe

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresh for a long time.

**No
Frost**

NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.

**Vario
Space**

Variospace

All freezers with NoFrost and SmartFrost feature drawers and, where present, glass shelves underneath them, which can then be conveniently moved. This results in VarioSpace – the practical system for extra storage space so that space can be created quickly even for larger frozen food items.



Rsdci 1620

Plus



Energy efficiency class		A+++ ¹
Energy consump. in 365 days/24 h		63 kWh ¹
Total Net Capacity		145 litre
Climate rating		SN-T (+10°C to +43°C)
Dimensions		
Height	85 cm	
Width	60 cm	
Depth	60.7 ¹ cm	
EAN-Nr.	4016803094654	



FNsddi 1624

Plus



Energy efficiency class		A+ ¹
Energy consump. in 365 days/24 h		151 kWh ¹
Total Net Capacity		110 litre
Climate rating		SN-T (+10°C to +43°C)
Dimensions		
Height	85 cm	
Width	60 cm	
Depth	60.7 ¹ cm	
EAN-Nr.	4016803094470	



Rsdci 1621

Plus



Energy efficiency class		A+++ ¹
Energy consump. in 365 days/24 h		96 kWh ¹
Total Net Capacity		Fridge: 109 litre/ Freezer: 17 litre
Climate rating		SN-T (+10°C to +43°C)
Dimensions		
Height	85 cm	
Width	60 cm	
Depth	60.7 ¹ cm	
EAN-Nr.	4016803094845	



Fdgd 1404 "Dark grey"

Pure



Energy efficiency class		A ¹
Energy consump. in 365 days/24 h		194 kWh ¹
Total Net Capacity		110 litre
Climate rating		SN-T (+10°C to +43°C)
Dimensions		
Height	85 cm	
Width	55 cm	
Depth	60.7 ¹ cm	
EAN-Nr.	4016803160199	

NB: Due to the instability of our National Electricity Supplier, Liebherr strongly recommends that all appliances are fitted with a surge protector, as instances of this nature, are not considered a factory fault.



Rdgd 1400 “Dark grey”

Pure



Energy efficiency class		A ⁺⁺ ¹
Energy consump. in 365 days/24 h		92 kWh ¹
Total Net Capacity		129 litre
Climate rating		SN-T (+10°C to +43°C)
Dimensions		
Height		85 cm
Width		55 cm
Depth		60.7 ¹ cm
EAN-Nr.		4016803160151



Rdgd 1401 “Dark grey”

Pure



Energy efficiency class		A ⁺⁺ ¹
Energy consump. in 365 days/24 h		140 kWh ¹
Total Net Capacity		Fridge: 97 litre/ Freezer: 15 litre
Climate rating		SN-T (+10°C to +43°C)
Dimensions		
Height		85 cm
Width		55 cm
Depth		60.7 ¹ cm
EAN-Nr.		4016803160175

Built-in Combi fridge / freezers

Features

**Bio
Fresh**

BioFresh

Sensitive food also stays fresh for a long time in BioFresh safes. For example, a temperature of close to 0 °C means the Meat & Dairy safe provides the ideal storage conditions for meat or fresh milk. There's also higher humidity in the Fruit & Vegetable safe thanks to the airtight closure – perfect for fruit and vegetables. The best part is: all optimal adjustments are made in the factory.

**No
Frost**

NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.

**Duo
Cooling**

DuoCooling

DuoCooling uses two completely separate refrigeration circuits to ensure no air is exchanged between the fridge and freezer compartments. The food neither dries out nor is odour transferred. This means throwing less away, shopping less often, but saving more and greater enjoyment.

**Super
Frost**

SuperFrost

Want to freeze your fresh food in a way that preserves vitamins? Simply activate SuperFrost – and the freezer compartment will increase its cooling capacity. In this way, the temperature remains constant when you place in unfrozen food. SuperFrost is also energysaving: if you don't switch off the function manually, it automatically deactivates itself after 65 hours.



ECBNe 8871 (617 Left)

PremiumPlus



Energy efficiency class	
Energy consump. in 365 days/24 h	410 kWh
Total Net Capacity	471 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	203.2 - 207.2 cm
Width	91.5 cm
Depth	63.5 cm
EAN-Nr.	9005382271070



ECBNe 8870 (001 Right)

PremiumPlus



Energy efficiency class	
Energy consump. in 365 days/24 h	410 kWh
Total Net Capacity	471 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	203.2-207.2 cm
Width	91.5 cm
Depth	63.5 cm
EAN-Nr.	9005382270912



ECBNe 8872 "French Door"

PremiumPlus



Energy efficiency class	
Energy consump. in 365 days/24 h	322 kWh
Total Net Capacity	471 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	203.2-207.2 cm
Width	91.5 cm
Depth	63.5 cm
EAN-Nr.	9005382270936



ECBNe 7871 (617 Left)

PremiumPlus

Bio Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Ice Maker	Soft System
-----------	-------------	----------	------------	-------------	-----------	-------------

Energy efficiency class	
Energy consump. in 365 days/24 h	287 kWh
Total Net Capacity	379 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	203.2-207.2 cm
Width	76.2 cm
Depth	63.5 cm
EAN-Nr.	9005382271056



ECBNe 7870 (001 Right)

PremiumPlus

Bio Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Ice Maker	Soft System
-----------	-------------	----------	------------	-------------	-----------	-------------

Energy efficiency class	
Energy consump. in 365 days/24 h	287 kWh
Total Net Capacity	379 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	203.2-207.2 cm
Width	76.2 cm
Depth	63.5 cm
EAN-Nr.	9005382270899

Accessories

Code	Description
7742281	Panel ECBNe 8872 (Top)
7742285	Panel ECBNe 8871 (Bottom first)
7742283	Panel ECBNe 8872 (Bottom second)
7043033	Handle ECBNe 8872(s/s)
7043337	Handle ECBNe 8872 (aluminum)
7742343	Panel ECBNe 8870 / 8871 (Top)
7742285	Panel ECBNe 8870 / 8871 (Bottom first)
7742283	Panel ECBNe 8870 / 8871 (Bottom second)
7043033	Handle ECBNe 8870 / 8871 (s/s)
7043337	Handle ECBNe 8870 8871 (aluminum)
7742247	Panel ECBNe 7870 / 7871 (Top)
7742241	Panel ECBNe 7870 / 7871 (Bottom first)
7742237	Panel ECBNe 7870 / 7871 (Bottom second)
7043033	Handle ECBNe 7870 / 7871 (s/s)
7043011	Handle ECBNe 7870 / 7871 (s/s)
7043337	Handle ECBNe 7870 / 7871 (aluminum)



Built-in Fridges & Freezers

Features



Bio
Fresh

BioFresh

Sensitive food also stays fresh for a long time in BioFresh safes. For example, a temperature of close to 0 °C means the Meat & Dairy safe provides the ideal storage conditions for meat or fresh milk. There's also higher humidity in the Fruit & Vegetable safe thanks to the airtight closure – perfect for fruit and vegetables. The best part is: all optimal adjustments are made in the factory.



Infinity
Spring

InfinitySpring

A source of fresh, cool drinking water in your kitchen. InfinitySpring sounds like something from a fairy tale. The water dispenser enables drip-free water dispensing and provides fresh, cold water. Simply press the panel with the carafe or glass, and enjoy the water. This enables you to save on purchasing bottles of water and to live more sustainably.



No
Frost

NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



Ice
Maker

IceMaker

Are there any ice cubes left? An IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer into any size you want – for example, ice cubes on the left, ice cream on the right – or just for ice cubes.



ICBNci 5183

Peak



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	214 kWh
Total Net Capacity	233 litre
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803115250



ICBNdi 5163

Prime



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	216 kWh
Total Net Capacity	239 litre
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803115137



ICBNci 5663

Prime



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	237 kWh
Total Net Capacity	269 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	195 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803137450



ICBNc 5623

Plus



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	239 kWh
Total Net Capacity	272 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	195 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803137412



SICNdi 5153

Prime



Energy efficiency class	
Energy consump. in 365 days/24 h	208 kWh
Total Net Capacity	243 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803117773



ICNf 5103

Pure



Energy efficiency class	
Energy consump. in 365 days/24 h	282 kWh
Total Net Capacity	251 litre
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803043317



IRBAc 5190 (Auto Door) “001 Right” / “617 Left”

Peak



Energy efficiency class	
Energy consump. in 365 days/24 h	87 kWh
Total Net Capacity	286 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	179.3 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803114659



IRBPci 5170

Peak



Energy efficiency class	
Energy consump. in 365 days/24 h	87kWh
Total Net Capacity	291 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803114857



IRBci 5180

Peak



Energy efficiency class	A+++
Energy consump. in 365 days/24 h	87 kWh
Total Net Capacity	286 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803114796



IRBci 5150

Prime



Energy efficiency class	A+++
Energy consump. in 365 days/24 h	87 kWh
Total Net Capacity	291 litre
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803114413



IRBD 5120

Plus



Energy efficiency class	A++
Energy consump. in 365 days/24 h	120 kWh
Total Net Capacity	291 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803113577



IRDDi 5120

Plus



Energy efficiency class	A++
Energy consump. in 365 days/24 h	104 kWh
Total Net Capacity	307 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803116592



IRD 4520

Plus



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	96 kWh
Total Net Capacity	235 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	141.3 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803116295



SIFNAd 5188 (Auto Door) “001 Right” / “617 Left”

Peak



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	215 kWh
Total Net Capacity	213 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	179.3 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803115670



SIFNdi 5188

Peak



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	265 kWh
Total Net Capacity	202litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803115731



SIFNdi 5178

Peak



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	219 kWh
Total Net Capacity	213 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803115717



SIFNE 5108

Pure



Energy efficiency class	A⁺
Energy consump. in 365 days/24 h	307 kWh
Total Net Capacity	213 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	178.8 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803115533



SIFNdi 4556

Prime



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	186 kWh
Total Net Capacity	153 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	141.3 cm
Width	57 cm
Depth	55 cm
EAN-Nr.	4016803115519



URDd 375i

Prime



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	83 kWh
Total Net Capacity	115 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	86 - 92 cm
Width	60 cm
Depth	56 cm
EAN-Nr.	9005382254851



URD 3600

Peak



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	72 kWh
Total Net Capacity	126 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	82 - 88 cm
Width	60 cm
Depth	56 cm
EAN-Nr.	9005382258279



URD 3601

Pure



Energy efficiency class	
Energy consump. in 365 days/24 h	99 kWh
Total Net Capacity	91 litres
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	82 - 88 cm
Width	60 cm
Depth	56 cm
EAN-Nr.	9005382259559



URPd 365i

Prime



Energy efficiency class	
Energy consump. in 365 days/24 h	64 kWh
Total Net Capacity	117 litres
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	82 - 88 cm
Width	60 cm
Depth	56 cm
EAN-Nr.	9005382259795



SUFD 3603

Pure



Energy efficiency class	
Energy consump. in 365 days/24 h	140 kWh
Total Net Capacity	87 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	82 - 88 cm
Width	60 cm
Depth	56 cm
EAN-Nr.	9005382259955



SUFNd 365i

Prime



Energy efficiency class	
Energy consump. in 365 days/24 h	113 kWh
Total Net Capacity	72 litre
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	82 - 88 cm
Width	60 cm
Depth	56 cm
EAN-Nr.	9005382259979



SUFNPc 365i

Prime

- No Frost
- Super Frost
- LED
- Soft System
- Telescopic Rails
- Touch & Swipe Display
- Vario Space

Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	106 kWh
Total Net Capacity	70 litres
Climate rating	SN-T (+10°C to +43°C)
Dimensions	
Height	82 - 88 cm
Width	60 cm
Depth	56 cm
EAN-Nr.	9005382260036

FREE DELIVERY
WITHIN SOUTH AFRICA


FREE INSTALLATION
TS AND CS APPLY

5 YEAR
WARRANTY

LIEBHERR

Freestanding Wine Coolers

Features



UVProtect Plus

UVProtect Plus

Triple protection. The wine tempering fridges with glass door offer unprecedented protection from UV radiation: three protective layers consisting of tinted glass and a double layer of vacuum-deposited metal. Known as Low-E coating, it provides highly efficient protection for your wine against harmful solar radiation.



Humidity Select

HumiditySelect

Don't let your corks crumble. With HumiditySelect, you can set the humidity on the display of the Vinidor models in two levels: "Standard humidity" and "High humidity". It's so simple, and so good for your wine, because the optimum humidity ensures that the corks stay moist and keep your bottles tightly sealed.



Vibrate Safe

Vibrate Safe

The fully vibration-insulated cooling system allows the wine to mature undisturbed.



Touch & Swipe Display

Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



WPgbi 7483

Vinidor Selection



Energy efficiency class	A¹
Energy consump. in 365 days/24 h	186 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	149 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	201.3 cm
Width	69.7 cm
Depth	76.4 ¹ cm
EAN-Nr.	4016803088172



WPgbi 7473

Vinidor Selection



Energy efficiency class	A¹
Energy consump. in 365 days/24 h	186 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	182 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	201.3 cm
Width	69.7 cm
Depth	76.4 ¹ cm
EAN-Nr.	4016803106319



WPgbi 7472

Vinidor Selection



Energy efficiency class	A¹
Energy consump. in 365 days/24 h	187 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	204 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	201.3 cm
Width	69.7 cm
Depth	76.4 ¹ cm
EAN-Nr.	4016803088134



WPgbi 5273

Vinidor Selection



Energy efficiency class	A¹
Energy consump. in 365 days/24 h	168 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	104 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	185.4 cm
Width	59.7 cm
Depth	67.8 ¹ cm
EAN-Nr.	4016803106333



WPgbi 5283

Vinidor Selection



Energy efficiency class	A¹
Energy consump. in 365 days/24 h	168 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	85 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	185.4 cm
Width	59.7 cm
Depth	67.8 ¹ cm
EAN-Nr.	4016803088158



Wpgbi 5272

Vinidor Selection



Energy efficiency class	A¹
Energy consump. in 365 days/24 h	169 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	106 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	185.4 cm
Width	59.7 cm
Depth	67.8 ¹ cm
EAN-Nr.	4016803088110



WPbl 4201

GrandCru Selection



Energy efficiency class	A⁺⁺¹
Energy consump. in 365 days/24 h	91 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	141 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	128.4 cm
Width	59.7 cm
Depth	76.3 ¹ cm
EAN-Nr.	9005382243879



WPbl 4601

GrandCru



Energy efficiency class	A¹
Energy consump. in 365 days/24 h	110 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	166 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	148.4 cm
Width	59.7 cm
Depth	76.3 ¹ cm
EAN-Nr.	9005382243978



WPbli 5031

GrandCru Selection

1 Zones	Humidity Control	Temp Protect Plus	UV Protect Plus	Steel Interior	Light Tower	Touch Display	Self Closing Door	Easy Fit
---------	------------------	-------------------	-----------------	----------------	-------------	---------------	-------------------	----------

Energy efficiency class	F
Energy consump. in 365 days/24 h	111 / 0.304 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	196 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	168.4 cm
Width	59.7 cm
Depth	76.3 ¹ cm
EAN-Nr.	9005382243992



WPbli 5231

GrandCru Selection

1 Zones	Humidity Control	Temp Protect Plus	UV Protect Plus	Steel Interior	Light Tower	Touch Display	Self Closing Door	Easy Fit
---------	------------------	-------------------	-----------------	----------------	-------------	---------------	-------------------	----------

Energy efficiency class	A ¹
Energy consump. in 365 days/24 h	119 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	229 ²
Climate rating	SN-ST (+10 °C to +38 °C)
Dimensions	
Height	188.4cm
Width	59.7 cm
Depth	76.3 ¹ cm
EAN-Nr.	9005382244050



WFbli 5241

GrandCru Selection

1 Zones	Humidity Control	Temp Protect Plus	UV Protect Plus	Steel Interior	Light Tower	Touch Display	Self Closing Door	Easy Fit	Easy Serve Basket
---------	------------------	-------------------	-----------------	----------------	-------------	---------------	-------------------	----------	-------------------

Energy efficiency class	F
Energy consump. in 365 days/24 h	119 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	188
Climate rating	SN-ST
Dimensions	
Height	188.4 cm
Width	59.7 cm
Depth	76.3 cm
EAN-Nr.	9005382244074



WFbli 7741

Perfection

1 Zones	Temp Protect Plus	Power Chill	UV Protect	Light Column	Presentation Light	Telescopic Rails	eDoor Lock	Self Closing Door	Easy Serve Basket
---------	-------------------	-------------	------------	--------------	--------------------	------------------	------------	-------------------	-------------------

Energy efficiency class	E
Energy consump. in 365 days/24 h	156 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	284
Climate rating	SN-ST
Dimensions	
Height	204.4 cm
Width	74.7 cm
Depth	76.3 cm
EAN-Nr.	9005382244159



WSbli 7731

Vinidor Selection

- 1 Zones
- Temp. protect plus
- Humidity Control
- Flex Fit
- Steel Interior
- LED
- Touch Display
- Self Closing Door
- Easy Fit

Energy efficiency class	
Energy consump. in 365 days/24 h	97 kWh ¹
Max. No. of Bordeaux bottles 0.75 Ltr	324 ²
Climate rating	SN-T (+10 °C to +43 °C)
Dimensions	
Height	204.4 cm
Width	74.7 cm
Depth	76.3 ¹ cm



WKes 653

Vinidor Selection

- 1 Zones
- Humidity Select
- Fresh Air
- UV Protect
- Vibrate Safe
- Steel Interior
- LED
- Door Lock

Energy efficiency class	
Energy consump. in 365 days/24 h	75 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	12 ¹
Climate rating	SN (+10 °C to +32 °C)
Dimensions	
Height	61.2 cm
Width	42.5 cm
Depth	47.8 cm
EAN-Nr.	9005382235492

Integrated Wine Coolers


Features



Telescopic
Rails

Telescopic Rails

Drawers on smooth telescopic rails for convenient opening and closing, and easy removal.



UVProtect
Plus

UVProtect Plus

Triple protection. The wine tempering fridges with glass door offer unprecedented protection from UV radiation: three protective layers consisting of tinted glass and a double layer of vacuum-deposited metal. Known as Low-E coating, it provides highly efficient protection for your wine against harmful solar radiation.



Touch & Swipe
Display

Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



Tip
Open

Tip Open

For integration into handleless kitchen furniture, the handleless, full-surface insulated glass door with innovative TipOpen technology is the perfect solution. The glass door opens a few centimetres when tapped. If the door is not opened further after 3 seconds, the SoftSystem closes it again.



UWgbi 3682 "Glass black"

Vinidor Selection



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	86 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	32 ¹
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	82-88 cm
Width	60 cm
Depth	58 cm
EAN-Nr.	9005382260517



Uwpri 3662 (Panel Ready)

Vinidor Selection



Energy efficiency class	A⁺
Energy consump. in 365 days/24 h	111 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	32 ¹
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	82-88 cm
Width	60 cm
Depth	58 cm
EAN-Nr.	9005382260418



Uwpri 3762 (Panel Ready)

Vinidor Selection



Energy efficiency class	A⁺
Energy consump. in 365 days/24 h	111 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	38 ¹
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	86-92 cm
Width	60 cm
Depth	56.5 cm
EAN-Nr.	4016803116592



UWpri 3661 (Panel Ready)

Vinidor Selection



Energy efficiency class	A⁺⁺
Energy consump. in 365 days/24 h	88 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	44 ¹
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	82-88 cm
Width	60 cm
Depth	58 cm
EAN-Nr.	9005382260371



EWTdf 1653

Vinidor

2 Zones	Humidity Select	Fresh Air	UV Protect	Steel Interior	LED	Telescopic Rails	Soft System
---------	-----------------	-----------	------------	----------------	-----	------------------	-------------

Energy efficiency class		
Energy consump. in 365 days/24 h		145 kWh
Max. No. of Bordeaux bottles 0.75 Ltr		30 ¹
Climate rating		SN-T (+10°C to +38°C)
Dimensions		
Height		87.4-89 cm
Width		56-57 cm
Depth		55 cm
EAN-Nr.		9005382278918



EWTgb 1683 “Glass black”

Vinidor

2 Zones	Humidity Select	Fresh Air	UV Protect	Steel Interior	LED	Telescopic Rails	Soft System
---------	-----------------	-----------	------------	----------------	-----	------------------	-------------

Energy efficiency class		
Energy consump. in 365 days/24 h		145 kWh
Max. No. of Bordeaux bottles 0.75 Ltr		33 ¹
Climate rating		SN-T (+10°C to +32°C)
Dimensions		
Height		87.4-89 cm
Width		56-57 cm
Depth		55 cm
EAN-Nr.		9005382278994

Accessories

Code	Description
9901577	Stainless Steel panel set (including handles) for EWTdf 16
9901075	Al-Profile frame 19 mm for EWTdf 16
9901081	Al-Profile frame 22 mm for EWTdf 16
9901561	Handle only for ALL EWT models

NB: Due to the instability of our National Electricity Supplier, Liebherr strongly recommends that all appliances are fitted with a surge protector, as instances of this nature, are not considered a factory fault.



EWTdf 2353

Vinidor

2 Zones	Humidity Select	Fresh Air	UV Protect	Steel Interior	LED	Telescopic Rails	Soft System	Presentation Board
---------	-----------------	-----------	------------	----------------	-----	------------------	-------------	--------------------

Energy efficiency class		
Energy consump. in 365 days/24 h		152 kWh
Max. No. of Bordeaux bottles 0.75 Ltr		48 ¹
Climate rating		SN-T (+10°C to +38°C)
Dimensions		
Height		122-123.6 cm
Width		56-57 cm
Depth		55 cm
EAN-Nr.		9005382278932



EWTgb 2383 "Glass black"

Vinidor

2 Zones	Humidity Select	Fresh Air	UV Protect	Steel Interior	LED	Telescopic Rails	Soft System	Presentation Board
---------	-----------------	-----------	------------	----------------	-----	------------------	-------------	--------------------

Energy efficiency class		
Energy consump. in 365 days/24 h	152 kWh	
Max. No. of Bordeaux bottles 0.75 Ltr	48 ¹	
Climate rating	SN-T (+10°C to +32°C)	
Dimensions		
Height	122-123.6 cm	
Width	56-57 cm	
Depth	55 cm	
EAN-Nr.	9005382279014	

Accessories

Code	Description
9901575	Stainless Steel panel set (including handles) for EWTdf 23
9901079	Al-Profile frame 19 mm for EWTdf 23
9901082	Al-Profile frame 22 mm for EWTdf 23
9901561	Handle only for ALL EWT models



EWTdf 3553

Vinidor

2 Zones	Humidity Select	Fresh Air	UV Protect	Steel Interior	LED	Telescopic Rails	Soft System
---------	-----------------	-----------	------------	----------------	-----	------------------	-------------

Energy efficiency class	
Energy consump. in 365 days/24 h	162 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	80 ¹
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	178cm
Width	57 cm
Depth	55 cm
EAN-Nr.	9005382278956



EWTgb 3583 “Glass black”

Vinidor

2 Zones	Humidity Select	Fresh Air	UV Protect	Steel Interior	LED	Telescopic Rails	Soft System	Presentation Board
---------	-----------------	-----------	------------	----------------	-----	------------------	-------------	--------------------

Energy efficiency class	
Energy consump. in 365 days/24 h	162 kWh
Max. No. of Bordeaux bottles 0.75 Ltr	83 ¹
Climate rating	SN-T (+10°C to +32°C)
Dimensions	
Height	177.2-178 cm
Width	56-57 cm
Depth	55 cm
EAN-Nr.	9005382279038

Accessories

Code	Description
9901573	Stainless Steel panel set (including handles) for EWTdf 35
9901080	Al-Profile frame 19 mm for EWTdf 35
9901083	Al-Profile frame 22 mm for EWTdf 35
9901561	Handle only for ALL EWT models

NB: Due to the instability of our National Electricity Supplier, Liebherr strongly recommends that all appliances are fitted with a surge protector, as instances of this nature, are not considered a factory fault.



WKEgb 582 “Glass black”

GrandCru



Energy efficiency class		
Energy consump. in 365 days/24 h		106 kWh
Max. No. of Bordeaux bottles 0.75 Ltr		18 ¹
Total Net Capacity		
Climate rating		SN-T (+10°C to +38°C)
Dimensions		
Height		45-45.2 cm
Width		56-57 cm
Depth		55 cm
EAN-Nr.		9005382279618



WKEes 553

GrandCru



Energy efficiency class		
Energy consump. in 365 days/24 h		130 kWh
Max. No. of Bordeaux bottles 0.75 Ltr		18 ¹
Climate rating		SN-T (+10°C to +32°C)
Dimensions		
Height		45 cm
Width		56 cm
Depth		55 cm
EAN-Nr.		9005382279595



Integrated Beverage Coolers

Features



Touch &
Swipe
Display



Fresh
Air



Soft
System



Super
Cool

Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.

FreshAir activated charcoal filter

The smell of some foods is sometimes less pleasant. However, this is no problem for your Liebherr. Thanks to FreshAir activated carbon filters, there is always fresh air in the interior. The filter is located right on the air flow in the fan housing and neutralises odours as far as possible. The display reminds you to change the filter.

SoftSystem

From breakfast to a midnight snack – a fridge needs to be open and closed on many occasions. And your Liebherr makes this a lot of fun. With the SoftSystem, your fridge door closes softly and safely, and in a way which is pleasantly quiet and light. Bottles stored in the inside door remain securely in place – nothing rattles or wobbles.

SuperCool

Super cool boosts the cooling power until the food recently placed inside reaches the temperature of the rest of the contents



UBCpr 376i (Panel Ready)

Prime



Energy efficiency class	
Energy consump. in 365 days/24 h	161 kWh
Total Net Capacity	130l ¹
Climate rating	5
Dimensions	
Height	86-92 cm
Width	60 cm
Depth	56.5 cm
EAN-Nr.	9005382260692




UBCgb 3731 (Glass Black)

Plus



Energy efficiency class	
Energy consump. in 365 days/24 h	161 kWh
Total Net Capacity	135l ¹
Climate rating	5
Dimensions	
Height	86-92 cm
Width	60 cm
Depth	56.5 cm
EAN-Nr.	9005382260616



Integrated Patio Coolers

Features



Super
Cool

SuperCool

Super cool boosts the cooling power until the food recently placed inside reaches the temperature of the rest of the contents



Touch & Swipe
Display

Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



Fresh
Air

FreshAir activated charcoal filter

The smell of some foods is sometimes less pleasant. However, this is no problem for your Liebherr. Thanks to FreshAir activated carbon filters, there is always fresh air in the interior. The filter is located right on the air flow in the fan housing and neutralises odours as far as possible. The display reminds you to change the filter.



Soft
System

SoftSystem

From breakfast to a midnight snack – a fridge needs to be open and closed on many occasions. And your Liebherr makes this a lot of fun. With the SoftSystem, your fridge door closes softly and safely, and in a way which is pleasantly quiet and light. Bottles stored in the inside door remain securely in place – nothing rattles or wobbles.



UORpr 365i “Patio Cooler” (Panel Ready)

Prime



5 year warranty

Energy efficiency class		
Energy consump. in 365 days/24 h		136 kWh
Total Net Capacity		104 litres ¹
Climate rating		7
Dimensions		
Height		82-88 cm
Width		60 cm
Depth		56.5 cm
EAN-Nr.		9005382276990



UORpr 366i “Patio Cooler”

Prime



Energy efficiency class		
Energy consump. in 365 days/24 h		198 kWh
Total Net Capacity		104 litres¹
Climate rating		SN-T (+10°C to +38°C)
Dimensions		
Height		82-88 cm
Width		60 cm
Depth		56.5 cm
EAN-Nr.		9005382276976

FREE DELIVERY
WITHIN SOUTH AFRICA

FREE INSTALLATION
TS AND CS APPLY

3 YEAR
WARRANTY

LIEBHERR

Freestanding Beverage Coolers

3 year warranty

Features



Super
Cool

SuperCool

Super cool boosts the cooling power until the food recently placed inside reaches the temperature of the rest of the contents



LED
Light

LED light inside

The LED side lighting illuminates the interior from the side – providing a good overview of your food. Another highlight: the LEDs are positioned in front of the glass shelves so that even a full refrigerator is well lit.



Touch
Display

Touch Display

A Liebherr is really simple to use with a gentle tap of a finger on the clear touch display.



Presentation
Light

Presentation Light

Effectively showcases the wine collection even when the glass door is closed. The brightness can be dimmed using the display.*



MRFvg 4011

Perfection



Energy efficiency class	
Energy consump. in 365 days/24 h	432.53 kWh
Total Net Capacity	286 litres
Climate rating	SN-T (-2°C to +40°C)
Dimensions	
Height	165.9 cm
Width	59.7 cm
Depth	65.4 cm
EAN-Nr.	9005382232293



MRFvg 3511

Perfection



Energy efficiency class	
Energy consump. in 365 days/24 h	139.01 kWh
Total Net Capacity	250 litres
Climate rating	SN-T (+10°C to +38°C)
Dimensions	
Height	168.4 cm
Width	659.7 cm
Depth	65.4 cm
EAN-Nr.	9005382232330



FRTCvg 1501

Perfection



Energy efficiency class		A⁺
Energy consump. in 365 days/24 h	219 kWh	
Total Net Capacity	93 litre	
Climate rating		
Dimensions		
Height	852 cm	
Width	648 cm	
Depth	600 cm	
EAN-Nr.	9005382268896	



FRTCvg 1511

Perfection



Energy efficiency class		A⁺
Energy consump. in 365 days/24 h	292 kWh	
Total Net Capacity	93 litre	
Climate rating		
Dimensions		
Height	852 cm	
Width	648 cm	
Depth	600 cm	
EAN-Nr.	9005382274439	



FRTvg 1501

Performance

Super Cool

Touch Display

Smart Monitoring

Energy efficiency class		A ⁺
Energy consump. in 365 days/24 h		219 kWh
Total Net Capacity		93 litre
Climate rating		
Dimensions		
Height	852 cm	
Width	648 cm	
Depth	600 cm	
EAN-Nr.	9005382268858	



FRTvg 1511

Performance

Outdoor

Super Cool

Soft System

Soft Telescopic Rails

Touch & Swipe Display

Energy efficiency class		A ⁺
Energy consump. in 365 days/24 h		292 kWh
Total Net Capacity		93 litre
Climate rating		
Dimensions		
Height	852 cm	
Width	648 cm	
Depth	600 cm	
EAN-Nr.	9005382268872	

NB: Due to the instability of our National Electricity Supplier, Liebherr strongly recommends that all appliances are fitted with a surge protector, as instances of this nature, are not considered a factory fault.

Humidor

Features



Precision
control

Precision control

Using the precision electronic control system, the temperature can be set between +16 °C and +20° C. The humidity can be set between 68% and 75%, as required. The temperature alarm alerts the user to any irregularities in the inside temperature.



Wall
mounting

Wall-mounting

The compact appliances (WKes 653, ZKes 453, CMes 502) can also be wallmounted without difficulty as an attractive eye-catcher with convenient access for serving.



ZKes 453

Humidor



Energy efficiency class	
Energy consump. in 365 days/24 h	162 kWh
Total Net Capacity	39 litres
Climate rating	SN-T (+16°C to +32°C)
Dimensions	
Height	61.2 cm
Width	42.5 cm
Depth	47.8 cm
EAN-Nr.	9005382100837

Features

Freshness technologies

Bio Fresh Professional	BioFresh Professional offers even more flexibility for your individual food-storage needs.	Hydro Breeze	Cooling like a pro: Cold mist and a temperature in the safe of just over 0 °C ensure a longer shelf life and create a fabulous visual effect.	Fish & Seafood	The Fish & Seafood safe stores fish and seafood at the optimum temperature of -2 °C, just as professionally as your fishmonger.
Bio Fresh	At a temperature just above 0 °C and an ideal humidity, fruits, vegetables, meat, fish and dairy products stay fresh for much longer than in the usual fridge compartment.	Bio Fresh Plus	The advantages of BioFresh with additional controllable temperature zone -2 °C, perfect for fish & seafood (freestanding appliances).	Easy Fresh	The adjustable humidity prolongs the freshness of your fruits and vegetables.
Duo Cooling	Two separately controllable cooling circuits for independently controlling the fridge and freezer compartments. Prevents odour transfer and groceries drying out.	No Frost	Frost-free convenience.	Smart Frost	Much less frequent defrosting.
Stop Frost	Less frequent defrosting and easier opening of the chest lid thanks to no vacuum.	Super Cool	Super cool boosts the cooling power until the food recently placed inside reaches the temperature of the rest of the contents	Super Frost	SuperFrost increases the cooling power for a short time – this means the temperature remains constant when you place in unfrozen food.
Vario Temp Zone	Refrigeration or freezing? You can choose from: The VarioTempZone can be set to an accurate temperature of -18 °C to -10 °C and from -2 °C to +5 °C.	Vario Temp	The freezer section becomes an alternative additional cooling zone by setting an accurate temperature of between -2 °C and +14 °C (freestanding appliances).		

Design

Glass Edition	With a glass front in cool white or elegant black, the GlassEdition appliances are a highlight in any kitchen.	My Style	Individual configuration with stylish designs, freely combinable equipment options and innovative freshness technologies.	Open Stage	Transparent drawers present the entire contents of the fridge with maximum clarity and excellent ergonomics.
Glass& Steel Interior	Elegant glass and stainless steel components in the interior for special design requirements.	Mood Light	MoodLight – a highlight in your living environment: The indirect lighting concept beautifully showcases the Water & Ice centre and recessed grips.	Light Tower	The new lighting concept evenly illuminates the interior and supports the glass shelves. Flexible, space-saving, unique.
LED	Low heat, energy-saving and maintenance-free for optimum illumination.	Steel Interior	Not just an attractive design element, The SmartSteel stainless steel rear wall panel ensures balanced air circulation.	Light Column	LED light column from top to bottom evenly illuminates the interior. On one side or both depending on the series.
Presentation Light	Effectively showcases the wine collection even when the glass door is closed. The brightness can be dimmed using the display.*				

*Can also be used via SmartDevice / Smart app

Water and Ice

Water & Ice Centre	The Water & Ice centre provides sufficient cold water, ice cubes and crushed ice around the clock.	Infinity Spring	The water dispenser is flush-mounted in the left side wall of the fridge compartment, for plumbed-in connections.	Ice Tower	Perfect for parties: Automatic IceMaker and large pizza compartment on a convenient pull-out shelf.
Ice Maker	Automatic IceMaker for a plumbed-in connection.	Ice Maker Water Tank	Automatic IceMaker with a water tank, if a plumbed-in connection is unavailable or not wanted.	Easy Twist Ice	Magically produce ice cubes quickly and easily: Fill the tank with water, let it freeze and then release the ready-made ice cubes with a twist (freestanding appliances).

Convenience and flexibility

Auto Door	Unique worldwide: AutoDoor allows easy and convenient opening and closing of the door via voice command, knocking signal and smartphone* – or simply by hand.	Flex Door System	Thanks to the FlexDoorSystem, the doors of your Liebherr also open and close individually, very easily, and quietly – and the 100 % seal closure saves energy.	Soft System	Very soft door closing, even when fully loaded, automatically below an opening angle of 30°.
Soft-Telescopic Rails	Drawers on fully extendable telescopic rails with self-closing and soft stop mechanisms for convenient use.	Telescopic Rails	Drawers on smooth telescopic rails for convenient opening and closing, and easy removal.	Ultra Silent	Enjoy the silence. Enjoy freshness: our quietest appliances.
Super Silent	Shhhhh – listen carefully: Your Liebherr is so quiet you have to strain your ears to hear it.	Touch & Swipe-Display	Intuitive fridge control – simply by touching and swiping the display.	Touch-Display	A Liebherr is really simple to use with a gentle tap of a finger on the clear touch display.
Touch Control	The one touch control of your appliance	Space Box	For flexible food storage: At a height of 250 mm, the SpaceBox offers lots of extra room even for extra large frozen items.	Side by Side	With the side-by-side concept, fridges and freezers as well as wine fridges can be positioned according to individual needs.
Vario Space	For extra high storage space: Simply take out the individual freezer drawers and the glass horizontal dividers below and make space for extra tall frozen items.	Door Stop	Keep Liebherr fresh and odor-free. The door stays open when the appliance is not in use. Save time, energy, and freshness.	Easy Open	EasyOpen means the freezer door can be opened multiple times in succession, conveniently and easily.
Frost Protect	A particular suitability to low-temperature environments allows the installation of freezers even in unheated rooms down to an ambient temperature of -15 °C.	Tip Open	The glass door opens by 7 cm when tapped for easy access and full opening.	Presentation Board	Shows off exquisite wines and presents bottles that have been opened.
eDoor Lock	An electronic door lock prevents unauthorised use and only unlocks the wine fridge after a correct PIN has been entered. *	Door Lock	The mechanical door lock provides top-notch security for your valuable wine collection. The lock is flush-mounted and blends unobtrusively into the overall design.	Easy Serve Basket	The bottle basket for clearly arranged storage and easy access.
Self Closing Door	The door of the wine fridge closes smoothly by itself when opened less than 90°.	Easy Fit	Loading aid for easy stocking of the wine fridge. From an angle of 90°, the door remains open.		

*Can also be used via SmartDevice / Smart app

Wine

1 Zone	With a constant temperature throughout the interior, adjustable from +5 °C to +20 °C.	2 Zones	With two temperature zones, independently and precisely adjustable from +5 °C to +20 °C.	3 Zones	With three temperature zones, independently and precisely adjustable from +5 °C to +20 °C.
Temp Protect Plus	Two sensors constantly measure the temperature in the wine fridge. A notification is sent in the event of a critical change. *	Power Chill	Newly stored bottles are cooled very quickly and automatically to the ideal serving temperature.	Humidity Control	The humidity can be actively regulated in 5 % increments between 50 % and 80 % RH**.
Humidity Select	The humidity can be adjusted in two stages: Standard or High.	Fresh Air	For a pure bouquet, an activated charcoal filter reliably binds all kinds of odours.	UV Protect Plus	Triple protection: A tinted glass door with two layers of vacuum-deposited metal provides highly efficient protection from sunlight.
UV Protect	Double protection: A tinted glass door with one layer of vacuum-deposited metal provides efficient protection from sunlight.	Flex Fit	Custom fit for bottles of any size.	Sommelier Board	For effective presentation and decanting: Wooden shelf with stainless steel bottle display, wooden box for decanting utensils and space for tempering wine glasses.
Vibrate Safe	The fully vibration-insulated cooling system allows the wine to mature undisturbed.				

Connectivity

Smart Device	The integrated SmartDeviceBox enables you to control the appliance and make use of additional services via computers and mobile devices.	Smart Device Ready	The SmartDeviceBox can be retrofitted so that you can control the appliance and use additional services via computers and mobile devices. Available as an accessory.
---------------------	--	---------------------------	--

Special product groups

Outdoor	This Liebherr is ideal for use outdoors thanks to its rust- and weatherproof materials, robust construction and high-quality components.	Wine	Perfect conditions for fine wines with unique storage and tempering features.	Cigar	Innovative features and perfect climate for fine cigars.
----------------	--	-------------	---	--------------	--

Ultra-efficient models

Ultra Efficient A -10%	Ultra Efficient A -20%	Ultra Efficient A -30%	This is even more economical [°] than appliances in the highest energy efficiency class A – Liebherr sets new standards.
-------------------------------	-------------------------------	-------------------------------	---

[°]Compared to the threshold for maximum energy efficiency class A according to Directive (EU) 2029/2016 (as of December 2023).

**Can also be used via SmartDevice/Smart app. | ** For temperatures in home environments. In the case of very dry/cold environments, e.g. basement rooms, we recommend the customised water tray from our accessories range to support the system.*

Accessories

Part No.	Description
7112448	Bottle shelf All SBS & Free standing Combination
7413588	Bottle Baskets UIKo's
7436193 / 9192809	Bottle holder- WKt/WKes/UWKes/WTes/UWTes/UWT/UWTgb
7440002 / 9880980	Water filter CBN. CN. SBS. ECN. ECBN. ICBNd 5183
7412053	Cold storage accumulator chest freezers GTP 2356 / 3156 / 3656 /4656
7431419	Freezer Tray GTP 2356
7431393	Freezer Tray GTP 3156
9900155	Wall heater side by side set ECBN 6156
7433243 / 9192811	Carbon filter other SWTNes / WKEes / WKB / WKES / WTB / WTes / WTPes
7440699 / 9193865	Carbon filter WKes653 / ZKes453
9096342	Fresh Air Charcoal Filter All BluePerformance
9192546	Carbon filter Wtes/Uwtes/Uwkes/Ewtdf/Wkegb
9094443	Lock Vinothek (incl. key) WTB / WKB
7112159	Wooden shelf Grand Cru WKES
7112113	Wooden shelf Vinothek WTB/WKB
7113619	Wooden Presentation shelf Grand Cru WKES
7112043	Wooden Presentation shelf Vinothek WTES / WTPES
7112428	Wooden Presentation shelf WTEes 2053
9901084	Accessory drawer - WKES 553 s/s
9901085	Accessory drawer - WKES 582 g/black
9901086	Accessory drawer - WKES 582 g/white
9094559	Clip on labels wooden shelves WTES
8409022	Stainless steel cleaner
8409030 / 8409899	Stainless steel cleaner
8713023	Micro Fibre Cloth
7423323	Ice Cube tray with lid
9900368	KIT Ventillation Grills SBS
9086846	Castor wheel set (for commercial units
9590519	Under cover for wall mounting WKes653/ZKes453

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

[illegible]

Smart communication on all fronts



BioFresh App

Useful information about perfect food storage, as well as vitamin and mineral content.



Smoothies & Ice-App

Playful fun; With just a tap, ice-cubes tumble down your screen and can be moved and crushed.



Find out which app is available for which operating system (Apple, Android etc.), and which device type.
apps.home.liebherr.com

View topic specific websites with in-depth information about BioFresh/NoFrost and wine cabinets via the QR code.



biofresh.liebherr.com



nofrost.liebherr.com



wine.liebherr.com



Discover the world of Liebherr

Appliances with the latest interesting news, stories, valuable tips and tricks on food storage, recipes and much more!



Click the link to directly access our social media channels:

socialmedia.home.liebherr.com

View our Brochures here:



Monolith 2025



Fully Integrated 2024-25



Your local Liebherr authorised dealer will help you make the right choice of refrigeration for your lifestyle.

LIEBHERR

home.liebherr.com

Distributed in Southern Africa by Liebherr-Africa (Pty) Limited
Vlakfontein Road, Fulcrum Industrial, Springs, Gauteng
Tel: 011 365 2561/2/3 | Fax: 086 674 9628